

20kW

Powered By Kubota
Kubota




EPS Diesel Power Generators for Motor Coach Applications

- *Designed from the ground up to meet EPA Tier 4 Final emissions regulations*
- *Rugged, heavy duty design and performance*
- *Compact modular designs have been optimized for high performance in minimal space*
- *Quiet and smooth running*
- *Easy installation hook-ups*
- *Options available for customized installation*

Kubota

AUTHORIZED DISTRIBUTOR
ENGINES | GENERATORS | PARTS



EPS 20kW Motor Coach Generator Standard Features

- EPS Mobile Generators Standard Features
- Designed from the ground up to meet Tier 4 Final emissions regulations.
- Rugged construction top-to-bottom for dependable service and a long life.
- Compact modular designs have been optimized for high performance in
- minimal space.
- Numerous noise and vibration-reducing technologies are employed, resulting in an exceptionally quiet and smooth running unit.
- Easy installation hook-ups for exhaust, battery and fuel.
- Powder coat painting process helps reduce corrosion.
- Each unit is fully load bank tested to verify that performance meets specifications.
- Water-cooled, Tier 4 Final diesel engine helps ensure reliability, long life and low cost operation.
- Enclosed units feature convenient single-side service with full access to engine maintenance parts.



Options Available

- Full featured, LCD remote control panel.
- Roller frames (for roll-out configurations).
- Radiator air duct kit.
- Single or three phase.
- Many other customizable configurations available. (Call to discuss what features that you need)






Standard Specifications

Kubota Engine Model	Kubota D1803TI-E4G
KW (Stand-by)	20
KW (Continuous)	19.2
Frequency	60hz
Single Phase Configuration	J20KA11OSE
Voltage	120/240
Standby Amp	166.7/ 83.3 @ 1.0 PF
Continuous Amps	160/80 @ 1.0 PF
All Configurations	
Fuel Cons. 25% Load	0.34 US Gal/hr.
Fuel Cons. 50% Load	0.68 US Gal/hr.
Fuel Cons. Full Load	1.50 US Gal/hr.
Weight w/oil @ antifreeze	1,169 lbs.
Length	58.18 in.
Width	25.76 in.
Height	28.77 in.


EPS 20kW 120/240V Single Phase Generator MODEL C20KA110FE31D








EPS 20kW 120/240V Single Phase Generator
MODEL C20KA110FE31D




EPS 20kW 120/240V Single Phase Generator MODEL C20KA110FE31H








EPS 20kW 120/240V Single Phase Generator
 MODEL C20KA110FE31H





EPS 20kW 120/240V Single Phase Generator MODEL C20KM110FB31J








EPS 20kW 120/240V Single Phase Generator
 MODEL C20KM110FB31J





EPS 20kW 120/240V Single Phase Generator MODEL C20KM110FD31J








EPS 20kW 120/240V Single Phase Generator
 MODEL C20KM110FD31J





EPS 20kW 120/240V Single Phase Generator MODEL C20KM110FE3UDAT








EPS 20kW 120/240V Single Phase Generator
 MODEL C20KM110FE3UDAT






EPS 20kW 120/240V Single Phase Generator MODEL C20KM110FE31J








EPS 20kW 120/240V Single Phase Generator
MODEL C20KM110FE31J



EPS 20kW 120/240V Single Phase Generator MODEL C20KM110FW31J





EPS 20kW 120/240V Single Phase Generator
 MODEL C20KM110FW31J








EPS 20kW 120/240V Single Phase Generator



MODEL S10020T4C4








EPS 20kW 120/240V Single Phase Generator
MODEL S10020T4C4





EPS 20kW 120/240V Single Phase Generator MODEL S10020T4CHB1








EPS 20kW 120/240V Single Phase Generator
 MODEL S10020T4CHB1





EPS 20kW 120/240V Single Phase Generator MODEL S10020T4CPC1








EPS 20kW 120/240V Single Phase Generator
MODEL S10020T4CPC1



EPS 20kW 120/240V Single Phase Generator MODEL S10020T4CPC2





EPS 20kW 120/240V Single Phase Generator
MODEL S10020T4CPC2








EPS 20kW 120/240V Single Phase Generator

MODEL S10020T4CSC3



EPS 20kW 120/240V Single Phase Generator
MODEL S10020T4CSC3



EPS Diesel Power Generators for Motor Coach Applications

